



CV SCIENCES™

Certificate of Analysis
November 24, 2020

Sample ID: FP-20-0721
Product name: PlusCBD Extra Strength Gummies - Citrus Punch
Batch/Lot#: 20SM2977
Strength: 10mg 60ct
Expiration: 10/22
Analyst: HP



<u>Physical properties</u>	<u>Result</u>	<u>Method</u>
Appearance	Pass	Organoleptic
Color	Pass	Organoleptic
Aroma	Pass	Organoleptic

<u>Cannabinoid:</u>	<u>mg:</u>	<u>Method:</u>
CBD	11.58	HPLC
CBDV	0.06	HPLC
CBDA	ND	HPLC
CBGA	ND	HPLC
CBG	0.01	HPLC
CBN	0.05	HPLC
Δ^9 -THC	0.07	HPLC
CBC	0.05	HPLC
THCA	ND	HPLC

Total cannabinoids:	11.8 mg
Sample size:	4.00 g (1 gummy)
THC by mass:	0.0016 %

ND = NOT DETECTED

Hayley Palmer

NOV 24 2020

Vandana Kothari

NOV 24 2020

Analyst _____ Date _____
Hayley Palmer, B.S.
Quality Analyst

Reviewed By _____ Date _____
Vandana Kothari, M.S., B.Pharm.
Director of Quality

This Certificate of Analysis has been generated to document product test results. The "Reviewed By" signature does not indicate finished product release for distribution.



Certificate of Analysis

CV Sciences, Inc.

10070 Barnes Canyon Road

San Diego, CA 92121

Vandana Kothari

Sample

2011DBL0266.11240

Batch FP-20-0721

Lot 20SM2977

Ordered 11/19/2020

Completed 11/23/2020

PlusCBD Extra Strength Gummies - 10mg Citrus Punch 60ct EXP: 10/22

Cannabinoids

	14.09	0.35	4.07
Total CBD (mg/unit)		% Total CBD	Unit weight (g)
Cannabinoid	LOQ	Mass %	Mass Concentration mg/g
CBD	0.01	0.35	3.5
CBDa	0.01	<LOQ	<LOQ
d9-THC	0.01	<LOQ	<LOQ
THCA-A	0.01	<LOQ	<LOQ
d8-THC	0.01	<LOQ	<LOQ
THCV	0.01	<LOQ	<LOQ
CBDV	0.01	<LOQ	<LOQ
CBDVA	0.01	<LOQ	<LOQ
CBGA	0.01	<LOQ	<LOQ
CBG	0.01	<LOQ	<LOQ
CBN	0.01	<LOQ	<LOQ
CBC	0.01	<LOQ	<LOQ
CBL	0.01	<LOQ	<LOQ

Pesticides/Plant Growth Regulators

Pesticides	Status	Sample (PPB)	LOQ (PPB)
Acequinocyl	PASS	<LOQ	10
Abamectin	PASS	<LOQ	10
Bifenazate	PASS	<LOQ	10
Fenoxycarb	PASS	<LOQ	10
Fludioxonil	PASS	<LOQ	10
Imidacloprid	PASS	<LOQ	10
Myclobutanil	PASS	<LOQ	10
Pyrethrin	PASS	<LOQ	10
Spinosad	PASS	<LOQ	10
Spiromesifen	PASS	<LOQ	10
Spirotetramet	PASS	<LOQ	10
Tebuconazole	PASS	<LOQ	10

Plant Growth Regulators			
Daminozide	PASS	<LOQ	10

Residual Solvents

Compound	Status	Limit (PPM)
Propane	PASS	500
Methanol	PASS	500
Isobutane	PASS	500
Ethanol	PASS	500
Isopropanol	PASS	500
Isopentane	PASS	500
n-Butane	PASS	500
n-Hexane	PASS	500
2,2-Dimethylbutane	PASS	500
3-Methylpentane	PASS	500
2-Methylpentane	PASS	500
Cyclohexane	PASS	500
Neopentane	PASS	500
n-Heptane	PASS	500
n-Pentane	PASS	500
Benzene	PASS	500

Water Activity: 0.3546 PASS Limit: 0.8500

- The hemp extract is the product of a batch tested by the independent testing laboratory.
- The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of a random sample of the batch; and
- The batch does not contain contaminants unsafe for human consumption.



Microbiology

Quantitative Analysis	Status	Sample	LOQ	Limit
	Pass/Fail	CFU/g	CFU/g	CFU/g
Mold/Mildew/Yeast	PASS	<LOQ	80	10,000
Enterobacteriaceae	PASS	<LOQ	80	1,000
Aerobic Bacteria	PASS	<LOQ	800	100,000
Coliforms	PASS	<LOQ	80	1,000

Qualitative Analysis	Detected or Not-detected	
E. Coli	PASS	Not-detected
Salmonella	PASS	Not-detected
Pseudomonas	PASS	Not-detected

Heavy Metals

Compound	Status	Sample	LOQ	Limit
	Pass/Fail	PPB	PPB	PPB
Arsenic	PASS	<LOQ	57	1500
Cadmium	PASS	<LOQ	57	500
Mercury	PASS	<LOQ	57	1000
Lead	PASS	68	57	500

Stacy Gardalen

Stacy Gardalen
Director

Glen Marquez

Glen Marquez
Quality Control



The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation, NA = Not Analyzed, ND = Not Detected, PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MMEN 61887736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. *Tested analytes and limits were set by the customer. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.

4439 Polaris Ave.
Las Vegas, NV 89103
(702)729-5180
www.dblabslv.com

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

MANUFACTURER:

CV Sciences
10070 Barnes Canyon Road suite 100
SAN DIEGO 92121
n/a



SAMPLE INFORMATION

Sample No.:	1063963	Date Collected:	11/19/2020
Product Name:	FP-20-0721 PlusCBD Extra Strength Gummies - 10mg Citrus Punch 60ct EXP: 10/22	Date Received:	11/19/2020
Matrix:	Edible (Gummy)	Date Reported:	11/20/2020
Batch #:	20SM2977		

TEST SUMMARY

Pesticides Residue Screen: ✔ Pass **Residual Solvent Screen:** ✔ Pass

PESTICIDES RESIDUE SCREEN ✔ Pass

11/20/2020

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorvos)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Oxamyi	0.20/0.50	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.25	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiactlorprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass

RESIDUAL SOLVENT SCREEN ✔ Pass

11/20/2020

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.40/1.00	ND	1.0	Pass
Acetone	17/75	ND	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	ND	5000	Pass
Methanol	6/25	ND	3000	Pass
Methylene Chloride	0.40/1.00	ND	1	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	890	Pass
Total Xylenes	1/3	ND	2170	Pass
Trichloroethylene	0.40/1.00	ND	1	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by




Vu Lam
Lab Co Director



Scan to verify